

## LED SPOT TRACKLIGHT

S-TRL-TL27




Professional lighting tools for high demanding retail environments. Die cast aluminium body. Wide range of optics to adapt to all kind of merchandising schemes. Compatible with standard 3 circuits tracks, it exists in surface or ceiling recessed version. Full range of accessories, honeycomb, gasket, barn doors.

*Projecteur sur rail professionnel pour l'éclairage de surfaces de vente. Corps en aluminium moulé. Large gamme d'optiques pour s'adapter à toute configuration de magasin. Compatible avec la majorité des rails 3 allumages du marché, disponible en montage suspendu, saillie ou Patère. Possibilité d'ajouter des accessoires type volets, filtres, ou nids d'abeille.*


AC Input	220 – 240V	<i>Alimentation</i>
Light Source	COB	<i>Source</i>
Wattage	20W	<i>Puissance</i>
Lumen Output	2300Lm	<i>Flux lumineux</i>
Efficiency	115Lm/W	<i>Efficacité</i>
Beam Angle	12°   24°   45°	<i>Angles</i>
Color (K)	2700°K   3000°K   4000°K	<i>Température de couleur</i>
Finish	Black   White   <i>Custom</i>	<i>Finition</i>

Working Temperature	-20° / +40°C	<i>Température de fonctionnement</i>
Lifetime	50,000h	<i>Durée de vie</i>
Standard	L80B10	<i>Norme</i>
Protection	IP20	<i>Indice</i>
Dimming (Option)	DALI   1-10V   Phase Dimming	<i>Contrôle (Option)</i>
Certification	CE   RoHS	<i>Certification</i>
CRI	80   90	<i>IRC</i>
Safety Class	⊕	<i>Classe de sécurité</i>
EN62471	RG0	<i>EN62471</i>
SDCM	≤3	<i>SDCM</i>
UGR	≤13	<i>UGR</i>

## Dimensions | *Dimensions*



## Product Code Generator / *Générateur de code produit*



## ACCESSORIES | *ACCESSOIRES*


1. Honeycomb | *Nid d'abeille*
2. Gasket | *Joint*
3. Barn door | *Flaps*



1



2



3