


IMS01 GRILLE ADJUSTABLE FRAME

O-MDL-IMS01-G011




Ceiling recessed spot frame. Recessed square adjustable design. Compatible with IMS01 LED modules range.


Collerette de spot à encastrer. Design carré ajustable. Compatible avec la gamme de modules LED IMS01.

Material	Aluminium	<i>Matière</i>
Finish	White Black Custom	<i>Finition</i>
Cut-out size	120x120mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>

Dimensions | *Dimensions*



O-MDL-IMS01-G012




Ceiling recessed spot frame double head. Recessed square adjustable design. Compatible with IMS01 LED modules range.

Collerette de spot à encastrer double. Design carré orientable. Compatible avec la gamme de modules LED IMS01.

Material	Aluminium	<i>Matière</i>
Finish	White Black Custom	<i>Finition</i>
Cut-out size	255x120mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>

Dimensions | *Dimensions*



O-MDL-IMS01-G013



Ceiling recessed spot frame triple head. Recessed square adjustable design. Compatible with IMS01 LED modules range.


Collerette de spot à encastrer tripler. Design carré orientable. Compatible avec la gamme de modules LED IMS01.

Material	Aluminium	<i>Matière</i>
Finish	White Black Custom	<i>Finition</i>
Cut-out size	390x120mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>


Dimensions | *Dimensions*



390x120mm



35mm



408mm

136mm