

## IMS02 GRILLE ADJUSTABLE FRAME

O-MDL-IMS02-G021




Ceiling recessed spot frame. Recessed square adjustable design. Compatible with IMS02 LED modules range.


*Collerette de spot à encastrer. Design carré ajustable. Compatible avec la gamme de modules LED IMS02.*

Material	Aluminium	<i>Matière</i>
Finish	White   Black   Custom	<i>Finition</i>
Cut-out size	165x165mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>

### Dimensions | *Dimensions*



## O-MDL-IMS02-G022




Ceiling recessed spot frame double head. Recessed square adjustable design. Compatible with IMS02 LED modules range.

*Collerette de spot à encastrer double. Design carré orientable. Compatible avec la gamme de modules LED IMS02.*

Material	Aluminium	<i>Matière</i>
Finish	White   Black   Custom	<i>Finition</i>
Cut-out size	350x175mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>

### Dimensions | *Dimensions*



## O-MDL-IMS02-G023



Ceiling recessed spot frame triple head. Recessed square adjustable design. Compatible with IMS02 LED modules range.


*Collerette de spot à encastrer tripler. Design carré orientable. Compatible avec la gamme de modules LED IMS02.*

Material	Aluminium	<i>Matière</i>
Finish	White   Black   Custom	<i>Finition</i>
Cut-out size	535x165mm	<i>Diamètre d'encastrement</i>
Adjustable	Yes	<i>Orientable</i>
Protection	IP20	<i>Indice de protection</i>
Certification	CE, RoHS	<i>Certification</i>


### Dimensions | *Dimensions*



535x165mm



45mm



555mm

185mm