


MAGNETIC TRACK AND ACCESSORIES

G-MGT




G-MGT-TAR




Dimensions | *Dimensions*

Input	48V DC	<i>Alimentation</i>
Protection	IP20	<i>Indice</i>
Finish	White Black	<i>Finition</i>
Length	1000mm 1500mm 2000mm	<i>Longueur</i>
Installation	Recessed	<i>Installation</i>

Product Code Generator | *Générateur de code produit*






G-MGT-TA

Dimensions | *Dimensions*


Input	48V DC	<i>Alimentation</i>
Protection	IP20	<i>Indice</i>
Finish	White Black	<i>Finition</i>
Length	1000mm 1500mm 2000mm	<i>Longueur</i>
Installation	Surface Pendant	<i>Installation</i>

Product Code Generator | *Générateur de code produit*






G-MGT-T



Dimensions | *Dimensions*

Input	48V DC	<i>Alimentation</i>
Protection	IP20	<i>Indice</i>
Finish	White Black	<i>Finition</i>
Length	1000mm 1500mm 2000mm	<i>Longueur</i>
Installation	Surface	<i>Installation</i>

Product Code Generator | *Générateur de code produit*






G-MGT-LIVE

Track System	4 Wires (one circuit)	<i>Circuit</i>
Input	48V DC	<i>Alimentation</i>
Rated Current	10A	<i>Courant nominal</i>
Protection	IP20	<i>Indice</i>
Material	PC Copper	<i>Matériaux</i>



G-MGT-90DC




Dimensions | *Dimensions*

Track System	4 Wires (one circuit)	<i>Circuit</i>
Input	48V DC	<i>Alimentation</i>
Rated Current	10A	<i>Courant nominal</i>
Protection	IP20	<i>Indice</i>
Material	PC Copper	<i>Matériaux</i>



G-MGT-MFLEX




Dimensions | *Dimensions*

Track System	4 Wires (one circuit)	<i>Circuit</i>
Input	48V DC	<i>Alimentation</i>
Rated Current	10A	<i>Courant nominal</i>
Protection	IP20	<i>Indice</i>
Material	PC Copper Magnet	<i>Matériaux</i>

51 mm




G-MGT-SK




Dimensions | *Dimensions*




G-MGT-R-END



Dimensions | *Dimensions*



G-MGT-S-END



Dimensions | *Dimensions*