

LED STRIP

L-NEO-20D



Our silicone flex Series comes in different wattages & dimensions: square, domed, rectangular. NEO-20D is round and can be bent in almost any direction! It comes dot less, with a very smooth lighting diffusion. For any indoor or outdoor project. Full range of mounting accessories available.

Notre gamme de flexibles en silicone comprend toutes les références pour coller à vos besoins : rond, carrés ou rectangulaires.

NEO-20D se tord dans tous les sens, et offre une diffusion de la lumière incomparable. Pour tous les projets intérieurs et extérieurs. Toute une gamme d'accessoires est également disponible pour installer le produit.


AC Input	DC 24V	<i>Alimentation</i>
Light Source	SMD	<i>Source</i>
Wattage	15W/m	<i>Puissance</i>
Beam Angle	270°	<i>Angles</i>
Color (K)	2700°K 3000°K 4000°K 6000°K	<i>Température</i>
Finish	Silicone	<i>Finition</i>
Working Temperature	-20° / +45°C	<i>Température de fonctionnement</i>
Lifetime	50,000h	<i>Durée de vie</i>
Standard	L80B10	<i>Norme</i>

Protection	IP67	<i>Indice</i>
Dimming (Option)	1-10V DALI Phase Dimming	<i>Contrôle (Option)</i>
Certification	CE RoHS	<i>Certification</i>
CRI	80+ 90+	<i>IRC</i>
Safety Class	III	<i>Classe de sécurité</i>
EN62471	RG0	<i>EN62471</i>
SDCM	≤3	<i>SDCM</i>


Product Photo | *Photo du produit*



Dimensions | *Dimensions*



Product Code Generator | *Générateur de code produit*



LUMEN

AT WORK



contact@lumen-at-work.com | www.lumen-at-work.com

© LUMEN AT WORK. All rights reserved. The information provided herein is subject to change, without notice.