

## TRACK LIGHT

### S-TRL-FLW53



Decorative and high efficiency range of track lights. The driver is built in the rail adapter to reduce dimensions and improve heat dissipation.

*Gamme de luminaires sur rail décoratifs et à haute efficacité. Le pilote est intégré dans l'adaptateur de rail pour réduire les dimensions et améliorer la dissipation thermique.*


AC Input	220 – 240 V	<i>Alimentation</i>
Light Source	COB	<i>Source</i>
Wattage	4x10W	<i>Puissance</i>
Lumen Output	4900Lm	<i>Flux lumineux</i>
Efficiency	122Lm/W	<i>Efficacité</i>
Beam Angle	15°   24°   36°   60°	<i>Angles</i>
Color (K)	3000°K   4000°K	<i>Température de couleur</i>
Finish	Black   White	<i>Finition</i>
Working Temperature	-20° / +40°C	<i>Température de fonctionnement</i>
Lifetime	50,000h	<i>Durée de vie</i>
Standard	L80B10	<i>Norme</i>

Protection	IP20	<i>Indice</i>
Dimming (Option)	DALI   1-10V   Phase Dimming	<i>Contrôle (Option)</i>
Certification	CE   RoHS	<i>Certification</i>
CRI	80   90	<i>IRC</i>
Safety Class	<input type="checkbox"/>	<i>Classe de sécurité</i>
EN62471	RG0	<i>EN62471</i>
SDCM	≤3	<i>SDCM</i>
UGR	≤19	<i>UGR</i>


## Product Photo | *Photo du produit*



## Dimensions | *Dimensions*




## Product Code Generator | *Générateur de code produit*



# LUMEN

AT WORK



[contact@lumen-at-work.com](mailto:contact@lumen-at-work.com) | [www.lumen-at-work.com](http://www.lumen-at-work.com)

© LUMEN AT WORK. All rights reserved. The information provided herein is subject to change, without notice.